



0050765

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY


1315 W. 4th Avenue • Kennewick, Washington 99336-6018 • (509) 735-7581

June 3, 1999

Ms. Helen Bilson  
U. S. Department of Energy  
P. O. Box 550, MSIN: S7-41  
Richland, Washington 99352

Ms. Janice Williams  
Fluor Daniel Hanford, Inc.  
P. O. Box 1000, MSIN: H6-06  
Richland, Washington 99352

Mr. Robert Giroir  
Waste Management Hanford Inc.  
P O Box 700, MSIN: T6-14  
Richland, Washington 99352



Dear Ms. Bilson, Ms. Williams and Mr. Giroir:

Re: Completion of Corrective Measure at the 222-S Laboratory Complex per  
April 19, 1999, Notice of Correction.

The Washington State Department of Ecology (Ecology) issued a Notice of Correction to the U.S. Department of Energy (USDOE), Fluor Daniel Hanford Inc. (FDH), and Waste Management Hanford Inc. (WMH), on April 19, 1999. The Notice of Correction documented one (1) violation of Pollution Control Hearings Board Order of Dismissal #97-189 revealed during a February 2, 1999, enforcement follow-up inspection at the 222-S Laboratory Complex. The Notice of Correction included a corrective measure for voluntary resolution of the cited violation.

On June 1, 1999, Ecology received USDOE's response (document #99-EAP-326) to the Notice of Correction, which included the necessary information for completion of the corrective measure. Ecology accepts the actions outlined in this response and considers the February 2, 1999, enforcement follow-up inspection closed.

Please contact me at (509) 736-3031 if you have any questions regarding this letter.

Sincerely,

Bob Wilson, Compliance Inspector  
Nuclear Waste Program

BW:ld

cc: James Rasmussen, USDOE  
Susan Price, FDH  
Mary Lou Blazek, OOE  
Administrative Record:

